

# Extended Web application security in C#

**CYDCsWeb4d | 4 days | On-site or online | Hands-on**

Your Web application written in C# works as intended, so you are done, right? But did you consider feeding in incorrect values? 16Gbs of data? A null? An apostrophe? Negative numbers, or specifically -1 or  $-2^{31}$ ? Because that's what the bad guys will do – and the list is far from complete.

Handling security needs a healthy level of paranoia, and this is what this course provides: a strong emotional engagement by lots of hands-on labs and stories from real life, all to substantially improve code hygiene. Mistakes, consequences, and best practices are our blood, sweat and tears.

The curriculum goes through the common Web application security issues following the OWASP Top Ten but goes far beyond it both in coverage and the details.

All this is put in the context of C#, and extended by core programming issues, discussing security pitfalls of the C# language and the ASP.NET framework.

So that you are prepared for the forces of the dark side.

So that nothing unexpected happens.

Nothing.

## Cyber security skills and drills



30 LABS



15 CASE STUDIES

### Audience

C# developers working on Web applications

### Outline

- Cyber security basics
- The OWASP Top Ten 2021
- Wrap up

### Group size

12 participants

### Preparedness

General C# and Web development

### Standards and references

OWASP, CWE and Fortify Taxonomy

### What you'll have learned

- Getting familiar with essential cyber security concepts
- Understanding how cryptography supports security
- Learning how to use cryptographic APIs correctly in C#
- Understanding Web application security issues
- Detailed analysis of the OWASP Top Ten elements
- Putting Web application security in the context of C#
- Going beyond the low hanging fruits
- Input validation approaches and principles
- Managing vulnerabilities in third party components

# Table of contents

## Day 1

---

### › Cyber security basics

What is security?

Threat and risk

[Cyber security threat types – the CIA triad](#)

Consequences of insecure software

### › The OWASP Top Ten 2021

[The OWASP Top 10 2021](#)

#### **A01 – Broken Access Control**

- Access control basics
- Confused deputy
  - Insecure direct object reference (IDOR)
  - Path traversal
    - [!\[\]\(e1bdc70a9006e3802acd56af7aa337d8\_img.jpg\) Lab – Insecure Direct Object Reference](#)
  - Path traversal best practices
  - Authorization bypass through user-controlled keys
    - [!\[\]\(6ae057bca7ac6a248ab7813081463b17\_img.jpg\) Case study – Authorization bypass on Facebook](#)
    - [!\[\]\(78e56d5e55225fd4f2631cbf51155cb8\_img.jpg\) Lab – Horizontal authorization](#)
- File upload
  - Unrestricted file upload
  - Good practices
    - [!\[\]\(49a09a2adad763e6bca9d23ca8610d0f\_img.jpg\) Lab – Unrestricted file upload](#)
- Open redirects and forwards
  - [!\[\]\(c6f6d57a129076a6832f54877ae1bdb5\_img.jpg\) Case study – Unvalidated redirect at Epic Games](#)
  - Open redirects and forwards – best practices

#### **A02 – Cryptographic Failures**

- Information exposure
  - Exposure through extracted data and aggregation
    - [!\[\]\(54a282d3ed55c9b1ac66d6fb81d5de2b\_img.jpg\) Case study – Strava data exposure](#)
- Cryptography for developers
  - Cryptography basics

- Crypto APIs in C#
- Elementary algorithms
  - Random number generation
  - Pseudo random number generators (PRNGs)
  - Cryptographically strong PRNGs
  - Weak and strong PRNGs
  - Using random numbers in C#
  - 🔗 *Lab – Using random numbers in C#*
    - 📖 *Case study – Equifax credit account freeze*
  - Hashing
  - Hashing basics
  - Hashing in C#
  - 🔗 *Lab – Hashing in C#*
- Confidentiality protection
  - Symmetric encryption
  - [Block ciphers](#)
  - Modes of operation
  - Modes of operation and IV – best practices
  - Symmetric encryption in C#
  - Symmetric encryption in C# with streams
  - 🔗 *Lab – Symmetric encryption in C#*
  - Asymmetric encryption
  - The RSA algorithm
  - Using RSA – best practices
  - RSA in C#
  - Combining symmetric and asymmetric algorithms








## Day 2

---

### › The OWASP Top Ten 2021

#### A03 – Injection

- Input validation
  - Input validation principles
  - Denylists and allowlists
  - What to validate – the attack surface
  - Where to validate – defense in depth
  - When to validate – validation vs transformations
  - Output sanitization
  - Encoding challenges
  - Unicode challenges
  - 🔗 *Lab – Encoding challenges*

- Reflection without validation
  -  *Lab – Unsafe reflection*
- Injection
  - Injection principles
  - Injection attacks
- [SQL injection](#)
  - SQL injection basics
    -  *Lab – SQL injection*
  - Attack techniques
  - Content-based blind SQL injection
  - Time-based blind SQL injection
- SQL injection best practices
  - Input validation
  - Parameterized queries
    -  *Lab – Using prepared statements*
  - Additional considerations
    -  *Case study – Hacking Fortnite accounts*
  - SQL injection protection and ORM
- Parameter manipulation
  - CRLF injection
  - HTTP header manipulation
    - HTTP response splitting
    - Header checking in ASP.NET
  - HTTP parameter manipulation
    - HTTP parameter pollution
    - Value shadowing
- Code injection
  - OS command injection
    -  *Lab – Command injection*
      - OS command injection best practices
      - Avoiding command injection with the right APIs
    -  *Lab – Command injection best practices*
      -  *Case study – Command injection via ping*
- Script injection
- Dangerous file inclusion
- HTML injection - Cross-site scripting (XSS)
  - [Cross-site scripting basics](#)
  - Cross-site scripting types
    - Persistent cross-site scripting
    - Reflected cross-site scripting
    - Client-side (DOM-based) cross-site scripting

- [🔗 Lab – Stored XSS](#)
- [🔗 Lab – Reflected XSS](#)
- [📖 Case study – XSS in Fortnite accounts](#)
  - XSS protection best practices
    - Protection principles - escaping
    - XSS protection APIs
    - Further XSS protection techniques
  - [🔗 Lab – XSS fix / stored](#)
  - [🔗 Lab – XSS fix / reflected](#)
    - Client-side protection principles
    - Additional protection layers – defense in depth

## Day 3

---

### › The OWASP Top Ten 2021

#### **A04 – Insecure Design**

- The STRIDE model of threats
- Secure design principles of Saltzer and Schroeder
  - Economy of mechanism
  - Fail-safe defaults
  - Complete mediation
  - Open design
  - Separation of privilege
  - Least privilege
  - Least common mechanism
  - Psychological acceptability
- Client-side security
  - Same Origin Policy
    - Simple request
    - Preflight request
    - Cross-Origin Resource Sharing (CORS)
  - Frame sandboxing
    - Cross-Frame Scripting (XFS) attacks
    - [🔗 Lab – Clickjacking](#)
      - Clickjacking beyond hijacking a click
      - Clickjacking protection best practices
    - [🔗 Lab – Using CSP to prevent clickjacking](#)
- JSON security
  - JSON validation
  - JSON injection

- Dangers of JSONP
- JSON/JavaScript hijacking
- Best practices
  - 📖 *Case study – ReactJS vulnerability in HackerOne*

## **A05 – Security Misconfiguration**

- Configuration principles
- Server misconfiguration
- ASP.NET and IIS configuration best practices
  - ASP.NET configuration
  - IIS configuration
- Cookie security
  - Cookie attributes
- XML entities
  - DTD and the entities
  - Entity expansion
  - External Entity Attack (XXE)
    - File inclusion with external entities
    - Server-Side Request Forgery with external entities
  - 🔗 *Lab – External entity attack*
    - 📖 *Case study – XXE vulnerability in SAP Store*
  - Preventing XXE
    - 🔗 *Lab – Prohibiting DTD*

## **A06 – Vulnerable and Outdated Components**

- Using vulnerable components
- Assessing the environment
- Hardening
- Untrusted functionality import
- Vulnerability management
  - Patch management
  - [Vulnerability management](#)
  - Vulnerability databases
  - Vulnerability rating – CVSS
  - 🔗 *Lab – Finding vulnerabilities in third-party components*
  - Bug bounty programs
  - [DevOps, the build process and CI / CD](#)
  - Dependency checking in C#
  - 🔗 *Lab – Detecting vulnerable components*

## **A07 – Identification and Authentication Failures**

- Authentication

- Authentication basics
- Multi-factor authentication
- Time-based One Time Passwords (TOTP)
- Authentication weaknesses
- [Spoofing on the Web](#)
- 📖 *Case study – PayPal 2FA bypass*
  - User interface best practices
- Session management
  - Session management essentials
  - Why do we protect session IDs – Session hijacking
  - Session fixation
  - Session invalidation
  - Session ID best practices

## Day 4

---

### › The OWASP Top Ten 2021







#### **A07 – Identification and Authentication Failures (continued)**

- Password management
  - Inbound password management
    - Storing account passwords
    - Password in transit
    - 🔗 *Lab – Is just hashing passwords enough?*
    - [Dictionary attacks and brute forcing](#)
    - Salting
    - Adaptive hash functions for password storage
    - 🔗 *Lab – Using adaptive hash functions in C#*
    - Password policy
    - [NIST authenticator requirements for memorized secrets](#)
    - Password hardening
    - Using passphrases
      - 📖 *Case study – The Ashley Madison data breach*
      - 📖 *The dictionary attack*
      - 📖 *The ultimate crack*
      - 📖 *Exploitation and the lessons learned*
    - Password database migration
    - (Mis)handling null passwords


#### **A08 – Software and Data Integrity Failures**

- Integrity protection
  - Message Authentication Code (MAC)




- Calculating HMAC in C#
  -  *Lab – Calculating MAC in C#*
- Digital signature
  - Digital signature with RSA
  - Elliptic Curve Cryptography
  - ECC basics
  - Digital signature with ECC
  - Digital signature in C#
  -  *Lab – Digital signature with ECDSA in C#*
- Subresource integrity
  - Importing JavaScript
  -  *Lab – Importing JavaScript*
  -  *Case study – The British Airways data breach*
- Insecure deserialization
  - Serialization and deserialization challenges
  - Integrity – deserializing untrusted streams
  - Integrity – deserialization best practices
  - Property Oriented Programming (POP)
    - Creating a POP payload
    -  *Lab – Creating a POP payload*
    -  *Lab – Using the POP payload*
    - Summary – POP best practices

## **A09 – Security Logging and Monitoring Failures**

- Logging and monitoring principles
- Insufficient logging
-  *Case study – Plaintext passwords at Facebook*
- Logging best practices
- Monitoring best practices

## **A10 – Server-Side Request Forgery (SSRF)**

- Server-side Request Forgery (SSRF)
-  *Case study – SSRF and the Capital One breach*

## **Web application security beyond the Top Ten**

- Denial of service
  - Flooding
  - Resource exhaustion
  - Sustained client engagement
  - Denial of service problems in C#
  - Infinite loop
  - Economic Denial of Sustainability (EDoS)
  - Algorithm complexity issues

- Regular expression denial of service (ReDoS)
- [🔗 Lab – ReDoS in C#](#)
- Dealing with ReDoS

## ➤ Wrap up

### **Secure coding principles**

- Principles of robust programming by Matt Bishop

### **And now what?**

- Software security sources and further reading
- .NET and C# resources